Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S27	2357	primary conductor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/29 12:03
S28	2708	secondary conductor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/29 12:03
S29	153405	keyboard	USPAT; USOCR	ADJ	ON	2007/03/19 11:44
S30	10	S27 and S28 and S29	USPAT; USOCR	ADJ	ON	2007/03/19 11:44
S31	378529	keyboard	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/29 12:38
S32	2752	secondary conductor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/29 12:03
S33	2428	primary conductor\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/29 12:05
S34	929	elastically deflectable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/29 12:06

S35	245	relax\$3 position and deflect\$3 position	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/29 12:07
S36	260512	printed circuit board	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/29 12:09
S37	16	S31 and S36 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/29 12:10
S38	15	S31 and S36 and S32 and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/29 12:10
S39	4	S31 and S36 and S32 and S33 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/29 12:37
S40	2	S31 and S36 and S32 and S33 and S34 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/29 12:10
S41	2	keyboard and secondary conductor\$3 and primary conductor\$3 and elastically deflectable and relax\$3 position and deflect\$3 position and printed circuit board	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/29 12:39

S42	2	keyboard and secondary	US-PGPUB	ADJ	ON	2007/08/30 11:00
		conductor\$3 and primary		i		
	ļ	conductor\$3 and elastically		•		
		deflectable and relax\$3 position and				
		deflect\$3 position and printed				
		circuit board				

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	keyboard and secondary conductor\$3 and primary conductor\$3 and elastically deflectable and relax\$3 position and deflect\$3 position and printed circuit board	US-PGPUB	ADJ	ON	2007/08/30 11:00

Interference Search History Rontout